

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	424	"4,266,263" "4,431,882" "4,584,625" "4,634,917" "4,731,694" "5,016,008" "5,028,876" "5,060,527" "5,225,959" "5,447,076" "5,449,002" "5,528,452" "5,760,530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 11:26
L2	6013	(second pair plural\$4 array two couple multiple) near3 (pressure strain stress force) near3 (layer film pad material).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 11:34
L3	579	2 and (elastic\$4 elastomeric).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 11:28
L4	92	3 and (projection protrusion corrugation ridge groove).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 11:41
L5	11	4 and (electrode).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 11:33
L6	16	4 and (electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 11:36
L7	10	1 and (second pair plural\$4 array two couple multiple) near3 (pressure strain stress force) near3 (layer film pad material).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 11:35
L8	4	7 and (electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 11:36

EAST Search History

L9	78	("4014217" "4143367" "4208648" "4257305" "4319078" "4529959" "4555953" "4555954" "4570149" "4640137" "4703663" "4715235" "4734034" "4869949" "4964302" "5010774").PN. OR ("5060527").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/23 11:40
L10	71	9 and (electrode conductive)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/23 11:40
L11	22	10 and (elastomeric)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/23 11:40
L12	13	11 and (projection protrusion corrugation ridge groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 11:41
L13	11	("20040217671" "3753294" "4386386" "4654546" "5060527" "5090248" "5115680" "5425275" "6282956" "6581481" "6662658").PN. OR ("7104146"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/23 12:48

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	113	73/862.042.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:27
L2	787	(tactile) near3 (sens\$4 detect\$4 transducer gauge gage measur\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:30
L3	19	2 and (elastomeric).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:32
L4	12	3 and (electrode conductive conducting).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:32
L5	2	4 and (capacitance capacitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:33
L6	7008	(tactile) near3 (sens\$4 detect\$4 transducer gauge gage measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:38
L7	432	6 and (elastomeric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:38
L8	199	7 and (electrode conductive conducting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:38
L9	51	8 and (capacitance capacitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:38

EAST Search History

L10	23	9 and (projection protrusion groove corrugation ridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:34
L11	22	10 and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:36
L12	424	"4,266,263" "4,431,882" "4,584,625" "4,634,917" "4,731,694" "5,016,008" "5,028,876" "5,060,527" "5,225,959" "5,447,076" "5,449,002" "5,528,452" "5,760,530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:37
L13	51	12 and (tactile) near3 (sens\$4 detect\$4 transducer gauge gage measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:38
L14	11	13 and (elastomeric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:38
L15	11	14 and (electrode conductive conducting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:38
L16	8	15 and (capacitance capacitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/23 14:38